
Solutions for Perfection from Marin Industrietechnik

Heavy Weight Weaving Shuttles ARK2-N1

- 10-15 % Higher productivity utilization
- Cost reduction due to long life materials
- · Cost saving due to modular construction
- No weaving marks on the fabric








Weaving Shuttles Type ARK2-N1

High-Tec Shuttle type ARK2-N1, with polished sliding skids and full equipment. Application: Felt weaving looms with hydraulic insertion system and automatic pirn changer on the right loom side. For pirns with cylindrical end-shape without steel rings. Changeable brush strips will be integrated customer specific.




Full equipment:

2 Ceramic eyelets, 1 Shuttle nose type ARL, 1 Shuttle nose type ARR, 2 Sensor plates type A, 1 Clamping spring type TEXV, 1 Pirn holder type TEX, 1 Yarn cutter type A, 1 Filling brake type BR, 1 Brush strip 325 mm, 1 Drill bush and all screwing connections.

Shuttle dimensions:

750/700x80x67/50 mm.


Clamping spring type TEXV





Weaving Shuttles Type ARG2-N1

High-Tec Shuttle type ARG2-N1 on the highest precision level with basic equipment



Basic equipment:

2 Ceramic eyelets, 1 Shuttle nose type ARL, 1 Shuttle nose type ARR, 2 Sensor plates type A, 2 locking nuts, 1 Brush strip 325 mm and 1 Drill bush at the left picking surface for pirn changer positioning.

Shuttle dimensions:

750/700 x 80 x 67/50 mm



Lechstrasse 2 73529 Schwaebisch Gmuend Germany

fon: +49 (0) 7171 98 90 52 fax: +49 (0) 7171 98 90 53

email: info@marin-technik.de home: www.marin-technik.de